



REVISTA INCLUSIONES

AMISTAD Y COLABORACIÓN INVESTIGATIVA

Revista de Humanidades y Ciencias Sociales

Volumen 7 . Número Especial

Octubre / Diciembre

2020

ISSN 0719-4706

CUERPO DIRECTIVO

Director

Dr. Juan Guillermo Mansilla Sepúlveda
Universidad Católica de Temuco, Chile

Editor

OBU - CHILE

Editor Científico

Dr. Luiz Alberto David Araujo
Pontificia Universidade Católica de Sao Paulo, Brasil

Editor Europa del Este

Dr. Aleksandar Ivanov Katrandzhiev
Universidad Suroeste "Neofit Rilski", Bulgaria

Cuerpo Asistente

Traductora: Inglés

Lic. Pauline Corthorn Escudero
Editorial Cuadernos de Sofía, Chile

Portada

Lic. Graciela Pantigoso de Los Santos
Editorial Cuadernos de Sofía, Chile

COMITÉ EDITORIAL

Dra. Carolina Aroca Toloza
Universidad de Chile, Chile

Dr. Jaime Bassa Mercado
Universidad de Valparaíso, Chile

Dra. Heloísa Bellotto
Universidad de Sao Paulo, Brasil

Dra. Nidia Burgos
Universidad Nacional del Sur, Argentina

Mg. María Eugenia Campos
Universidad Nacional Autónoma de México, México

Dr. Francisco José Francisco Carrera
Universidad de Valladolid, España

Mg. Keri González
Universidad Autónoma de la Ciudad de México, México

Dr. Pablo Guadarrama González
Universidad Central de Las Villas, Cuba

Mg. Amelia Herrera Lavanchy
Universidad de La Serena, Chile

Mg. Cecilia Jofré Muñoz
Universidad San Sebastián, Chile

Mg. Mario Lagomarsino Montoya
Universidad Adventista de Chile, Chile

Dr. Claudio Llanos Reyes
Pontificia Universidad Católica de Valparaíso, Chile

Dr. Werner Mackenbach
Universidad de Potsdam, Alemania
Universidad de Costa Rica, Costa Rica

Mg. Rocío del Pilar Martínez Marín
Universidad de Santander, Colombia

Ph. D. Natalia Milanesio
Universidad de Houston, Estados Unidos

Dra. Patricia Virginia Moggia Münchmeyer
Pontificia Universidad Católica de Valparaíso, Chile

Ph. D. Maritza Montero
Universidad Central de Venezuela, Venezuela

Dra. Eleonora Pencheva
Universidad Suroeste Neofit Rilski, Bulgaria

Dra. Rosa María Regueiro Ferreira
Universidad de La Coruña, España

Mg. David Ruete Zúñiga
Universidad Nacional Andrés Bello, Chile

Dr. Andrés Saavedra Barahona
Universidad San Clemente de Ojrid de Sofía, Bulgaria

Dr. Efraín Sánchez Cabra
Academia Colombiana de Historia, Colombia

Dra. Mirka Seitz
Universidad del Salvador, Argentina

Ph. D. Stefan Todorov Kapralov
South West University, Bulgaria

COMITÉ CIENTÍFICO INTERNACIONAL

Comité Científico Internacional de Honor

Dr. Adolfo A. Abadía

Universidad ICESI, Colombia

Dr. Carlos Antonio Aguirre Rojas

Universidad Nacional Autónoma de México, México

Dr. Martino Contu

Universidad de Sassari, Italia

Dr. Luiz Alberto David Araujo

Pontificia Universidad Católica de Sao Paulo, Brasil

Dra. Patricia Brogna

Universidad Nacional Autónoma de México, México

Dr. Horacio Capel Sáez

Universidad de Barcelona, España

Dr. Javier Carreón Guillén

Universidad Nacional Autónoma de México, México

Dr. Lancelot Cowie

Universidad West Indies, Trinidad y Tobago

Dra. Isabel Cruz Ovalle de Amenabar

Universidad de Los Andes, Chile

Dr. Rodolfo Cruz Vadillo

Universidad Popular Autónoma del Estado de Puebla, México

Dr. Adolfo Omar Cueto

Universidad Nacional de Cuyo, Argentina

Dr. Miguel Ángel de Marco

Universidad de Buenos Aires, Argentina

Dra. Emma de Ramón Acevedo

Universidad de Chile, Chile

Dr. Gerardo Echeita Sarrionandia

Universidad Autónoma de Madrid, España

Dr. Antonio Hermosa Andújar

Universidad de Sevilla, España

Dra. Patricia Galeana

Universidad Nacional Autónoma de México, México

Dra. Manuela Garau

Centro Studi Sea, Italia

Dr. Carlo Ginzburg Ginzburg

Scuola Normale Superiore di Pisa, Italia

Universidad de California Los Ángeles, Estados Unidos

Dr. Francisco Luis Girardo Gutiérrez

Instituto Tecnológico Metropolitano, Colombia

José Manuel González Freire

Universidad de Colima, México

Dra. Antonia Heredia Herrera

Universidad Internacional de Andalucía, España

Dr. Eduardo Gomes Onofre

Universidade Estadual da Paraíba, Brasil

Dr. Miguel León-Portilla

Universidad Nacional Autónoma de México, México

Dr. Miguel Ángel Mateo Saura

Instituto de Estudios Albacetenses "Don Juan Manuel", España

Dr. Carlos Tulio da Silva Medeiros

Diálogos em MERCOSUR, Brasil

+ Dr. Álvaro Márquez-Fernández

Universidad del Zulia, Venezuela

Dr. Oscar Ortega Arango

Universidad Autónoma de Yucatán, México

Dr. Antonio-Carlos Pereira Menaut

Universidad Santiago de Compostela, España

Dr. José Sergio Puig Espinosa

Dilemas Contemporáneos, México

Dra. Francesca Randazzo

Universidad Nacional Autónoma de Honduras, Honduras

Dra. Yolando Ricardo

Universidad de La Habana, Cuba

Dr. Manuel Alves da Rocha

Universidade Católica de Angola Angola

Mg. Arnaldo Rodríguez Espinoza

Universidad Estatal a Distancia, Costa Rica

Dr. Miguel Rojas Mix

*Coordinador la Cumbre de Rectores Universidades
Estatales América Latina y el Caribe*

Dr. Luis Alberto Romero

CONICET / Universidad de Buenos Aires, Argentina

Dra. Maura de la Caridad Salabarría Roig

Dilemas Contemporáneos, México

Dr. Adalberto Santana Hernández

Universidad Nacional Autónoma de México, México

Dr. Juan Antonio Seda

Universidad de Buenos Aires, Argentina

Dr. Saulo Cesar Paulino e Silva

Universidad de Sao Paulo, Brasil

Dr. Miguel Ángel Verdugo Alonso

Universidad de Salamanca, España

Dr. Josep Vives Rego

Universidad de Barcelona, España

Dr. Eugenio Raúl Zaffaroni

Universidad de Buenos Aires, Argentina

Dra. Blanca Estela Zardel Jacobo

Universidad Nacional Autónoma de México, México

Comité Científico Internacional

Mg. Paola Aceituno

Universidad Tecnológica Metropolitana, Chile

Ph. D. María José Aguilar Idañez

Universidad Castilla-La Mancha, España

Dra. Elian Araujo

Universidad de Mackenzie, Brasil

Mg. Romyana Atanasova Popova

Universidad Suroeste Neofit Rilski, Bulgaria

Dra. Ana Bénard da Costa

*Instituto Universitario de Lisboa, Portugal
Centro de Estudios Africanos, Portugal*

Dra. Alina Bestard Revilla

*Universidad de Ciencias de la Cultura Física y el
Deporte, Cuba*

Dra. Noemí Brenta

Universidad de Buenos Aires, Argentina

Ph. D. Juan R. Coca

Universidad de Valladolid, España

Dr. Antonio Colomer Vialdel

Universidad Politécnica de Valencia, España

Dr. Christian Daniel Cwik

Universidad de Colonia, Alemania

Dr. Eric de Léséulec

INS HEA, Francia

Dr. Andrés Di Masso Tarditti

Universidad de Barcelona, España

Ph. D. Mauricio Dimant

Universidad Hebrea de Jerusalén, Israel

Dr. Jorge Enrique Elías Caro

Universidad de Magdalena, Colombia

Dra. Claudia Lorena Fonseca

Universidad Federal de Pelotas, Brasil

Dra. Ada Gallegos Ruiz Conejo

Universidad Nacional Mayor de San Marcos, Perú

Dra. Carmen González y González de Mesa

Universidad de Oviedo, España

Ph. D. Valentin Kitanov

Universidad Suroeste Neofit Rilski, Bulgaria

Mg. Luis Oporto Ordóñez

Universidad Mayor San Andrés, Bolivia

Dr. Patricio Quiroga

Universidad de Valparaíso, Chile

Dr. Gino Ríos Patio

Universidad de San Martín de Porres, Perú

Dr. Carlos Manuel Rodríguez Arrechavaleta

Universidad Iberoamericana Ciudad de México, México

Dra. Vivian Romeu

Universidad Iberoamericana Ciudad de México, México

**REVISTA
INCLUSIONES** M.R.
REVISTA DE HUMANIDADES
Y CIENCIAS SOCIALES

Dra. María Laura Salinas
Universidad Nacional del Nordeste, Argentina

Dr. Stefano Santasilia
Universidad della Calabria, Italia

Mg. Silvia Laura Vargas López
Universidad Autónoma del Estado de Morelos, México

**CUADERNOS DE SOFÍA
EDITORIAL**

Dra. Jaqueline Vassallo
Universidad Nacional de Córdoba, Argentina

Dr. Evandro Viera Ouriques
Universidad Federal de Río de Janeiro, Brasil

Dra. María Luisa Zagalaz Sánchez
Universidad de Jaén, España

Dra. Maja Zawierzeniec
Universidad Wszechnica Polska, Polonia

Editorial Cuadernos de Sofía
Santiago – Chile
OBU – C HILE

Indización, Repositorios y Bases de Datos Académicas

Revista Inclusiones, se encuentra indizada en:





REX



UNIVERSITY OF SASKATCHEWAN



Universidad de Concepción



BIBLIOTECA UNIVERSIDAD DE CONCEPCIÓN

**SIZE AND OPTIC CHARACTERISTICS OF METAL OXIDE NANOPARTICLES OBTAINED
BY ACOUSTOPLASMA TECHNIQUE**

Ph. D. Victor M. Dorokhov

Moscow Aviation Institute (National Research University), Russia
dorokhovvm@mai.ru

ORCID 0000-0003-4987-6751

Lic. Yulia Hauser

University of Stuttgart, Germany

yulia.hauser@online.de

ORCID 0000-0001-9279-022X

Fecha de Recepción: 07 de julio de 2020 – **Fecha Revisión:** 14 de julio de 2020

Fecha de Aceptación: 21 de septiembre 2020 – **Fecha de Publicación:** 01 de octubre de 2020

Abstract

Nanoparticles of tungsten, copper, iron, and zinc oxides were synthesized in acoustoplasma discharge. Their size distribution was studied by electron microscopy and laser correlation spectroscopy. Water suspensions of zinc oxide nanoparticles showed photoluminescence in red and near infrared spectral ranges, which makes them a promising material for luminescent diagnostics of biological systems.

Keywords

Metal oxides – Plasma – Discharge – Nanoparticles

Para Citar este Artículo:

Dorokhov, Victor M. y Hauser, Yulia. Size and optic characteristics of metal oxide nanoparticles obtained by acoustoplasma technique. Revista Inclusiones Vol: 7 num Especial (2020): 160-166.

Licencia Creative Commons Attribution Non-Comercial 3.0 Unported
(CC BY-NC 3.0)

Licencia Internacional



Introduction

Obtaining of nanomaterials with desired physical and biochemical properties is an actual task of the modern science and technology. Nanoparticles (NPs) of the 3d metal oxides, particularly of the iron oxides, are widely used in biology and medicine¹. So, nanomagnetite NPs are applied as active agents of magnetic hyperthermia in oncology. The interest in this method of treatment was increased owing to the lack of resistance². The use of hyperthermia combined with other methods – chemotherapy and radiation therapy – can reduce the doses of drugs and radiation³. The production of nanoscale materials with controlled properties, along with traditional chemical methods of synthesis, is possible by applying physical methods, such as electrical discharge and ultrasonic cavitation⁴. One of the promising ways of the production of nanoscale materials, including metal oxide powder, is a method of combined impact on the liquid medium by high intensity ultrasonic oscillations and by pulsed or stationary electric fields⁵. The acoustic plasma discharge obtained in cavitation liquid medium is a new and poorly researched physical phenomenon⁶. This method has several advantages as the method of production of nanomaterials: a relatively narrow distribution of the particle size of the synthesised nanopowder, specific composition and properties of the resulting nanomaterials, high production rate⁷.

Physical properties of nanoparticles

We have investigated the possibility of the controlled production of NPs of various materials in a liquid medium using the acoustic plasma discharge. The experiments were performed in water⁸. The use of the electrodes of a particular material (tungsten, iron,

¹ N. A. Bulychev; E. L. Kuznetsova; V. V. Bodryshev y L. N. Rabinskiy, "Nanotechnological Aspects of Temperature-Dependent Decomposition of Polymer Solutions", *Nanoscience and Technology: An International Journal*, Vol: 9 num 2 (2018): 91-97.

² M. N. Kirichenko; L. L. Chaikov; I. S. Burkhanov; N. A. Bulychev y M. A. Kazaryan, "Interaction of aluminum oxide nanoparticles with human blood plasma thrombin (according to light scattering)", *Proceedings of SPIE*, Vol: 11322 num 1Y (2019).

³ Yu. P. Aleksandrova; N. S. Budanova; A. A. Farmakovskaya; N. S. Okorokova; G. N. Ustyuzhaninova; N. P. Zharova y V. Kohlert, "Ultrasonic treatment impact on the stability of aqueous dispersions of inorganic and organic pigments in the presence of surfactants", *Revista Inclusiones*, Vol: 7 num Especial (2020): 387-397.

⁴ I. S. Burkhanov; L. L. Chaikov; N. A. Bulychev; M. A. Kazaryan y V. I. Krasovskii, "Nanoscale metal oxide particles produced in the plasma discharge in the liquid phase upon exposure to ultrasonic cavitation. 2. Sizes and stability. Dynamic light scattering study", *Bulletin of the Lebedev Physical Institute*, Vol: 41 num 10 (2014): 297-304.

⁵ N. A. Bulychev; M. A. Kazaryan; A. Ethiraj y L. L. Chaikov, "Plasma Discharge in Liquid Phase Media under Ultrasonic Cavitation as a Technique for Synthesizing Gaseous Hydrogen", *Bulletin of the Lebedev Physical Institute*, Vol: 45 num 9 (2018): 263-266.

⁶ N. A. Bulychev y M. A. Kazaryan, "Application of Optical Spectroscopy for Study of Hydrogen Synthesis in Plasma Discharge in Liquid under Ultrasonic Cavitation", *Proceedings of SPIE*, Vol: 11322 num 1A (2019).

⁷ N. Bulychev; W. Van Camp; B. Dervaux; Y. Kirilina; K. Dirnberger; T. Schauer; V. Zubov; F. E. Du Prez y C. D. Eisenbach, "Comparative Study of the Solid-Liquid Interface Behaviour of Amphiphilic Block and Block-like Copolymers", *Macromolecular Chemistry and Physics*, Vol: 210 (2009): 287-298.

⁸ A. V. Rudnev; N. G. Vanifatova; T. G. Dzherayan; E. V. Lazareva y N. A. Bulychev, "Study of stability and dispersion composition of calcium hydroxyapatite in aqueous suspensions by capillary zone electrophoresis", *Russian Journal of Analytical Chemistry*, Vol: 68 num 8 (2013): 700.

copper, zinc) leads to the oxidation in oxygen-containing liquids by plasma discharge and to the formation of the suspension of nanoparticles of metal oxides in liquid medium⁹. The role of ultrasonic cavitation is not only in its impact on electrical-physical characteristics of the discharge, but also in its impact on the fragmentation of the associates of the obtained NPs and on the modification of their surfaces¹⁰. The investigation of the size distribution of NPs was performed by the method of dynamic light scattering (DLS)¹¹. The measurements were carried out with a Zetasizer Nano ZS device, Malvern Instruments Ltd¹².

The specific feature of the DLS method is its sensitivity to the shape of nanoparticles¹³. In the case of spherical particles, the hydrodynamic radius obtained by the Stokes-Einstein equation corresponds to the data produced by electron microscopy, in the case of deviations of the sphericity the method of DLS provides values in a wide size range¹⁴. The nanoparticles of zinc oxide are in the form of elongated cylinders and therefore the particle size distribution obtained by the DLS does not reflect the reality¹⁵.

Figure 1 shows the DLS data for the NPs after the ultrasound treatment. It was experimentally confirmed that nanoparticles with a shape close to spherical, have size distribution consistent with that of electron microscopy. In the data of the size distribution of such NPs in their aqueous suspensions shown in Figure 1 the maximum of the DLS spectrum of the test samples is around 9 nm for iron oxide with cavitation (Fe1), 220 nm for iron oxide without cavitation (Fe2), 20 nm for tungsten oxide (W) and 37 nm for copper oxide (Cu). For the zinc oxide owing to its elongated rod-shape the maximum of 100 nm corresponds to the longitudinal size of nano-object¹⁶.

⁹ Yu. O. Kirilina; I. V. Bakeeva; N. A. Bulychev y V. P. Zubov, "Organic-inorganic hybrid hydrogels based on linear poly(N-vinylpyrrolidone) and products of hydrolytic polycondensation of tetramethoxysilane", *Polymer Science Series B*, Vol: 51 num 3-4 (2009): 135.

¹⁰ N. A. Bulychev; M. A. Kazaryan; E. S. Gridneva; E. N. Murav'ev; V. F. Solinov; K. K. Koshelev; O. K. Kosheleva; V. I. Sachkov y S. G. Chen, "Plasma discharge with bulk glow in the liquid phase exposed to ultrasound", *Bulletin of the Lebedev Physical Institute*, Vol: 39 num 7 (2012): 214-220.

¹¹ A. V. Ivanov; V. N. Nikiforov; S. V. Shevchenko; V. Yu. Timoshenko; V. V. Pryadun; N. A. Bulychev; A. B. Bychenko y M. A. Kazaryan, "Properties of Metal Oxide Nanoparticles Prepared by Plasma Discharge in Water with Ultrasonic Cavitation", *International Journal of Nanotechnology*, Vol: 14 num 7/8 (2017): 618-626.

¹² Yu. P. Aleksandrova; N. S. Budanova; A. A. Farmakovskaya; N. S. Okorokova; G. N. Ustyuzhaninova; N. P. Zharova y V. Kohlert, "Organic pigments surface modification by isobutyl vinyl ether copolymers under the action of ultrasonic", *Revista Inclusiones*, Vol: 7 num Especial (2020): 11-21.

¹³ N. A. Bulychev; M. I. Danilkin; N. Yu. Vereshchagina y M. A. Kazaryan, "Luminescent Properties of ZnO Nanoparticles Doped by W Obtained in Plasma Discharge in Liquid under Ultrasonic Cavitation", *Proceedings of SPIE*, Vol: 11322 num 1S (2019).

¹⁴ K. V. Pushkin; S. D. Sevruk; N. S. Okorokova y A. A. Farmakovskaya, "The most efficient corrosion inhibitors for aluminum anode of electrochemical cell used as a controlled hydrogen generator", *Periodico Tche Quimica*, Vol: 15 num 1 (2018): 414-425.

¹⁵ Yu. P. Aleksandrova; N. S. Budanova; A. A. Farmakovskaya; N. S. Okorokova; G. N. Ustyuzhaninova; N. P. Zharova y V. Kohlert, "Theoretical and experimental studies of the spectral characteristics of doped semiconductors using zinc oxide and sulfide", *Revista Inclusiones*, Vol: 7 num 3 (2020): 453-463.

¹⁶ N. A. Bulychev y M. A. Kazaryan, "Optical Properties of Zinc Oxide Nanoparticles Synthesized in Plasma Discharge in Liquid under Ultrasonic Cavitation", *Proceedings of SPIE*, Vol: 11322 (2019): 219.




Figure 1
Size distribution of the metal oxide NPs in aqueous suspensions according to the DLS data

The obtained DLS data shows good correlation of the results of the size evaluation obtained through their direct SEM measurements. Figure 1 shows the spectra distribution of the particle size of the two types of iron oxide, Fe1 and Fe2, which differ by the synthesis method, particularly by the intensity of sonication. The synthesized particles differ by average sizes, depending on the intensity of ultrasonic field in the synthesis process: Fe2 corresponds to the intensity of ultrasound below the cavitation threshold, Fe1 – above the cavitation threshold, namely – 2 W/cm². The maximum of the spectrum of DLS from the test samples is around 9 nm for iron oxide Fe1, 220 nm for iron oxide Fe2, the data that testifies to the decisive role of the intensity of ultrasound in the synthesis. From the obtained data it is clear that the impact of ultrasound above the cavitation threshold in the synthesis shifts maximum range of DLS in the region of 9 nm. Such a change in the size indicates the strong interaction of nanoparticles which have a magnetic dipole-dipole interaction¹⁷.

Photoluminescence spectrum of the aqueous dispersions of zinc oxide formed in the plasma discharge in the presence of ultrasonic cavitation are shown in the Fig. 2. The measurements were carried out with a Cary Eclipse spectrofluorimeter.

¹⁷ Yu. V. Ioni; S. V. Tkachev; N. A. Bulychev y S. P. Gubin, "Preparation of Finely Dispersed Nanographite", *Inorganic Materials*, Vol: 47 num 6 (2011): 597-602.




Figure 2

Photoluminescence spectrum of an aqueous suspension of ZnO NPs prepared in the plasma discharge with ultrasound cavitation. The PL was excited with wavelength of 337 nm at $T = 300$ K.

For the PL spectrum of the aqueous dispersion of zinc oxide NPs formed in the plasma discharge in the presence of ultrasonic cavitation it is evident that the dominant luminescence band corresponds to the wavelengths of 600–900 nm, i.e., it is in the range of red and near-infrared spectrum¹⁸. The appearance of this band can be explained by the contribution of radiative transitions involving deep level defects in the forbidden zone of ZnO (3.36 eV or 370 nm for the bulk crystalline phases). The presence of the PL in this spectral range allows to apply these nanoparticles as fluorescent labels in the diagnosis of the malignant neoplasms in the future¹⁹.

Conclusions

Acoustoplasma discharge and cavitation in aqueous solutions were used to prepare metal oxide nanoparticles (NPs) based on tungsten, copper, iron and zinc. It was shown that the electrical discharge accompanied with ultrasound cavitation in aqueous media can be applied to prepare nearly monodisperse nanoparticles of metal (W, Cu, Fe1 and Fe2) oxides. It was found that ultrasonic cavitation during the NP formation influenced strongly the size and physical properties of NPs, which were measured by means of the

¹⁸ N. A. Bulychev; A. I. Erokhin y M. A. Kazaryan, "A Comparative Study of Anti-Stokes Shift under Stimulated Rayleigh-Mie Scattering in Suspensions of Ag Nanoparticles Obtained in Plasma Discharge in Liquid under Ultrasonic Cavitation", *Proceedings of SPIE*, Vol: 11322 num 2G (2019).

¹⁹ V. N. Nikiforov; N. A. Bulychev y V. V. Rzhetskii, "Elastic properties of HTSC ceramics", *Bulletin of the Lebedev Physical Institute*, Vol: 43 num 2 (2016): 74-79.

electron microscopy, dynamic light scattering (DLS) and photoluminescence (PL) techniques. The obtained results indicate good prospects of the prepared NPs for biomedical applications in the PL diagnostics of cancer and magnetic hyperthermia.

Bibliography

Aleksandrova, Yu. P.; Budanova, N. S.; Farmakovskaya, A. A.; Okorokova, N. S.; Ustyuzhaninova, G. N.; Zharova, N. P. y Kohlert, V. "Organic pigments surface modification by isobutyl vinyl ether copolymers under the action of ultrasonic". *Revista Inclusiones*, Vol: 7 num Especial (2020): 11-21.

Aleksandrova, Yu. P.; Budanova, N. S.; Farmakovskaya, A. A.; Okorokova, N. S.; Ustyuzhaninova, G. N.; Zharova, N. P. y Kohlert, V. "Ultrasonic treatment impact on the stability of aqueous dispersions of inorganic and organic pigments in the presence of surfactants". *Revista Inclusiones*, Vol: 7 num Especial (2020): 387-397.

Aleksandrova, Yu. P.; Budanova, N. S.; Farmakovskaya, A. A.; Okorokova, N. S.; Ustyuzhaninova, G. N.; Zharova, N. P. y Kohlert, V. "Theoretical and experimental studies of the spectral characteristics of doped semiconductors using zinc oxide and sulfide". *Revista Inclusiones*, Vol: 7 num 3 (2020): 453-463.

Bulychev, N. A. y Kazaryan, M. A. "Application of Optical Spectroscopy for Study of Hydrogen Synthesis in Plasma Discharge in Liquid under Ultrasonic Cavitation". *Proceedings of SPIE*, Vol: 11322 num 1A (2019).

Bulychev, N. A. y Kazaryan, M. A. "Optical Properties of Zinc Oxide Nanoparticles Synthesized in Plasma Discharge in Liquid under Ultrasonic Cavitation". *Proceedings of SPIE*, Vol: 11322 (2019): 219.

Bulychev, N. A.; Danilkin, M. I.; Vereshchagina, N. Yu. y Kazaryan, M. A. "Luminescent Properties of ZnO Nanoparticles Doped by W Obtained in Plasma Discharge in Liquid under Ultrasonic Cavitation". *Proceedings of SPIE*, Vol: 11322 num 1S (2019).

Bulychev, N. A.; Erokhin, A. I. y Kazaryan, M. A. "A Comparative Study of Anti-Stokes Shift under Stimulated Rayleigh-Mie Scattering in Suspensions of Ag Nanoparticles Obtained in Plasma Discharge in Liquid under Ultrasonic Cavitation". *Proceedings of SPIE*, Vol: 11322 num 2G (2019).

Bulychev, N. A.; Kazaryan, M. A.; Ethiraj, A. y Chaikov, L. L. "Plasma Discharge in Liquid Phase Media under Ultrasonic Cavitation as a Technique for Synthesizing Gaseous Hydrogen". *Bulletin of the Lebedev Physical Institute*, Vol: 45 num 9 (2018): 263-266.

Bulychev, N. A.; Kazaryan, M. A.; Gridneva, E. S.; Murav'ev, E. N.; Solinov, V. F.; Koshelev, K. K.; Kosheleva, O. K.; Sachkov, V. I. y Chen, S. G. "Plasma discharge with bulk glow in the liquid phase exposed to ultrasound". *Bulletin of the Lebedev Physical Institute*, Vol: 39 num 7 (2012): 214-220.

Bulychev, N. A.; Kuznetsova, E. L.; Bodryshev, V. V. y Rabinskiy, L. N. "Nanotechnological Aspects of Temperature-Dependent Decomposition of Polymer Solutions". *Nanoscience and Technology: An International Journal*, Vol: 9 num 2 (2018): 91-97.

Bulychev, N.; Van Camp, W.; Dervaux, B.; Kirilina, Y.; Dirnberger, K.; Schauer, T.; Zubov, V.; Du Prez, F. E. y Eisenbach, C. D. "Comparative Study of the Solid-Liquid Interface Behaviour of Amphiphilic Block and Block-like Copolymers". *Macromolecular Chemistry and Physics*, Vol: 210 (2009): 287-298.

Burkhanov, I. S.; Chaikov, L. L.; Bulychev, N. A.; Kazaryan, M. A. y Krasovskii, V. I. "Nanoscale metal oxide particles produced in the plasma discharge in the liquid phase upon exposure to ultrasonic cavitation. 2. Sizes and stability. Dynamic light scattering study". *Bulletin of the Lebedev Physical Institute*, Vol: 41 num 10 (2014): 297-304.

Ioni, Yu. V.; Tkachev, S. V.; Bulychev, N. A. y Gubin, S. P. "Preparation of Finely Dispersed Nanographite". *Inorganic Materials*, Vol: 47 num 6 (2011): 597-602.

Ivanov, A. V.; Nikiforov, V. N.; Shevchenko, S. V.; Timoshenko, V. Yu.; Pryadun, V. V.; Bulychev, N. A.; Bychenko, A. B. y Kazaryan, M. A. "Properties of Metal Oxide Nanoparticles Prepared by Plasma Discharge in Water with Ultrasonic Cavitation". *International Journal of Nanotechnology*, Vol: 14 num 7/8 (2017): 618-626.

Kirichenko, M. N.; Chaikov, L. L.; Burkhanov, I. S.; Bulychev, N. A. y Kazaryan, M. A. "Interaction of aluminum oxide nanoparticles with human blood plasma thrombin (according to light scattering)". *Proceedings of SPIE*, Vol: 11322 num 1Y (2019).

Kirilina, Yu. O.; Bakeeva, I. V.; Bulychev, N. A. y Zubov, V. P. "Organic-inorganic hybrid hydrogels based on linear poly(N-vinylpyrrolidone) and products of hydrolytic polycondensation of tetramethoxysilane". *Polymer Science Series B*, Vol: 51 num 3-4 (2009): 135.

Nikiforov, V. N.; Bulychev, N. A. y Rzhetskii, V. V. "Elastic properties of HTSC ceramics". *Bulletin of the Lebedev Physical Institute*, Vol: 43 num 2 (2016): 74-79.

Pushkin, K. V.; Sevruk, S. D.; Okorokova, N. S. y Farmakovskaya, A. A. "The most efficient corrosion inhibitors for aluminum anode of electrochemical cell used as a controlled hydrogen generator". *Periodico Tch Quimica*, Vol: 15 num 1 (2018): 414-425.

Rudnev, A. V.; Vanifatova, N. G.; Dzherayan, T. G.; Lazareva, E. V. y Bulychev, N. A. "Study of stability and dispersion composition of calcium hydroxyapatite in aqueous suspensions by capillary zone electrophoresis". *Russian Journal of Analytical Chemistry*, Vol: 68 num 8 (2013).